SUNISO ^{™/MC} SL 32

000003010874



Version 2.1		Revision Date 2024/06/18	Print Date 2024/06/18
SECTION 1. IDENTIFICATION			
Product name	:	SUNISO TM/MC SL 32	
Product code	:	SNSL32DRM, SNSL32, SNSL32 SNSL32C12	P20, SNSL32C16,
Manufacturer or supplier's d Telephone		ails Petro-Canada Lubricants Inc. 2310 Lakeshore Road West Mississauga ON L5J 1K2 Canada 1-905-403-6785	
Emergency telephone numb	or		
		CHEMTREC: 1-800-424-9300; Poison Control Centre: Consult log emergency number(s).	cal telephone directory for
Recommended use of the ch	ner	nical and restrictions on use	
Recommended use	:	Refrigeration Compressor Lubrica	ant
Prepared by	:	Product Safety: +1 905-491-0565	
SECTION 2. HAZARDS IDENTIFIC	CA	TION	
GHS classification in accord Not a hazardous substance or GHS label elements Not a hazardous substance or Other hazards None known.	mi		Regulations
IARC		No component of this product pre- or equal to 0.1% is identified as pr firmed human carcinogen by IARC	robable, possible or con-
SECTION 3. COMPOSITION/INFO	R	ATION ON INGREDIENTS	
Substance / Mixture	:	Mixture	
Components No hazardous ingredients			

SECTION 4. FIRST AID MEASURES

If inhaled

Move to fresh air. Artificial respiration and/or oxygen may be necessary.

:

SUNISO ^{™/MC} SL 32

000003010874



Version 2.1		Revision Date 2024/06/18	Print Date 2024/06/18
		Seek medical advice.	
In case of skin contact	:	In case of contact, immediately flus for at least 15 minutes while remove and shoes. Wash skin thoroughly with soap and skin cleanser. Wash clothing before reuse. Seek medical advice.	ing contaminated clothing
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of wa for at least 15 minutes. Obtain medical attention.	ater, also under the eyelids,
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless dir cian or poison control center. Never give anything by mouth to an Seek medical advice.	
Most important symptoms and effects, both acute and delayed	:	First aider needs to protect himself.	
Notes to physician	:	Treat symptomatically.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
Specific hazards during fire- fighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion prod- ucts	:	Carbon oxides (CO, CO2), smoke and irritating vapours as products of incomplete combustion.
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	 Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
---	--

SUNISO ^{™/MC} SL 32

000003010874



Version 2.1		Revision Date 2024/06/18	Print Date 2024/06/18
Environmental precautions	:	Do not allow uncontrolled discharge ronment. If the product contaminates rivers an respective authorities.	
Methods and materials for containment and cleaning up	:	Prevent further leakage or spillage if Remove all sources of ignition. Soak up with inert absorbent materia Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.	

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	None known.
Advice on safe handling	 For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Conditions for safe storage	 Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	:	No special ventilation requirements. Good general ventilation
		should be sufficient to control worker exposure to airborne
		contaminants.

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter type : organic vapour filter

SUNISO TM/MC SL 32

000003010874



Version 2.1		Revision Date 2024/06/18	Print Date 2024/06/18
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (P	VA), Viton [®] .
Remarks	:	Chemical-resistant, impervious glove approved standard should be worn a chemical products if a risk assessme essary.	t all times when handling
Eye protection	:	Wear face-shield and protective suit problems.	for abnormal processing
Skin and body protection	:	Choose body protection in relation to tration and amount of dangerous sub cific work-place.	
Protective measures	:	Wash contaminated clothing before r	e-use.
Hygiene measures	:	Remove and wash contaminated cloting the inside, before re-use. Wash face, hands and any exposed handling.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Colour	:	clear
Odour	:	ester-like
Odour Threshold	:	No data available
рН	:	No data available
Pour point	:	-54 °C (-65 °F)
Boiling point/boiling range	:	No data available
Flash point	:	No data available
Fire Point	:	No data available
Evaporation rate	:	No data available
Flammability	:	Remarks: Low fire hazard. This material must be heated be- fore ignition will occur.
Auto-Ignition Temperature	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
rnet: www.petrocanadalubricants.co	om/s	sds Page: 4 Petro-Canada Lubricants is a HE Sinclair b

SUNISO ^{™/MC} SL 32

000003010874

Version 2.1



Print Date 2024/06/18

Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.993 kg/l (15 °C)
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	31 cSt (40 °C)
Explosive properties	:	Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	Reactive with oxidising agents.
Hazardous decomposition products	:	May release COx, NOx, SOx, POx, ZnOx, smoke and irritating vapours when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION

	Information on likely routes of exposure						
	Eye contact Ingestion Inhalation Skin contact						
	Acute toxicity						
	Product:						
	Acute oral toxicity	:	Remarks: No data available				
	Acute inhalation toxicity	:	Remarks: No data available				
	Acute dermal toxicity	:	Remarks: No data available				
•	arnati usuu natraanadalubriaanta aam/ada						

Internet: www.petrocanadalubricants.com/sds Trademarks are owned or used under license.

SUNISO TM/MC SL 32

000003010874

Version 2.1



Skin corrosion/irritation					
Product: Remarks	:	No data available			
Serious eye damage/eye irritation					
Product: Remarks	:	No data available			
Respiratory or skin sensitis	atio	n			
No data available					
Germ cell mutagenicity No data available Carcinogenicity No data available					
Reproductive toxicity					
No data available					
STOT - single exposure No data available					
STOT - repeated exposure					

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:						
Toxicity to fish	:	Remarks: No data available				
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available				
Toxicity to algae/aquatic plants	:	Remarks: No data available				
Toxicity to microorganisms	:	Remarks: No data available				
Persistence and degradability						
Product:						
Biodegradability	:	Remarks: No data available				
Bioaccumulative potential						
No data available						

SUNISO TM/MC SL 32

000003010874

Version 2.1

Revision Date 2024/06/18



Print Date 2024/06/18

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

: The product should not be allowed to enter drains, water courses or the soil.
Offer surplus and non-recyclable solutions to a licensed dis- posal company.
Waste must be classified and labelled prior to recycling or disposal.
Send to a licensed waste management company. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

National Regulations

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:					
DSL	:	On the inventory, or in compliance with the inventory			
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.			

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -

SUNISO TM/MC SL 32

000003010874

Version 2.1

Revision Date 2024/06/18

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

For Copy of SDS	:	Internet: www.petrocanadalubricants.com/sds Western Canada, telephone: 1-800-661-1199; fax: 1-800-378- 4518 Ontario & Central Canada, telephone: 1-800-268-5850; fax: 1- 800-201-6285 Quebec & Eastern Canada, telephone: 1-800-576-1686; fax: 1-800-201-6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565
Revision Date Date format	:	2024/06/18 yyyy/mm/dd

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific



SUNISO TM/MC SL 32

000003010874

Version 2.1

Revision Date 2024/06/18

PETRO CANADA

Print Date 2024/06/18

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN